Utility Model Publication Gazette (A)

Publication No. S56-169873

Water sealing apparatus of washing machine

Application No. S55-69133

Application date: May. 19, 1980 (S55 of Japanese calendar)

Applicant: Kariya Hiroshi

kabusikikaisha, Sanyodenki, 18 banchi, 2 chome, keihanhontori, Moriguchi-shi, Japan

Inventor: Sanyodenki Kabusikikaisha

18 banchi, 2 chome, keihanhontori, Moriguchi-shi, Japan

Agent: patent lawyer Fujita Routaro

What is claimed is:

- ① A water sealing apparatus of washing machine comprising: forming an annular projection around edge of an opening part of an outside part; forming a hooking part to be projected in a direction of backward which has a smaller diameter than the opening part's; and attaching an annular door packing meeting the annular projection at the outside of the hooking part.
- ② As the water sealing apparatus of washing machine of claim 1, wherein an adjustment band with an annular form is inflated in a direction of backward while the outside door packing is compressed from the outside.

Brief description of drawings:

- FIG. 1 and FIG. 2 illustrate a front sectional view and a side sectional view respectively.
- FIG. 3 illustrates a side sectional view of a part of a water sealing apparatus of washing machine according to the related art.
- The below FIG. 4 illustrate the preferred embodiments according to the present invention.
- FIG. 4 illustrates a side sectional view of a principle part of a first preferred embodiment.
- FIG. 5 illustrates a side sectional view of a principle part of another preferred embodiment.
- FIG. 6 illustrates a front view of an adjustment band.
- 15: outside part, 16: opening part, 16': annular projection,
- 19: door, 20: hooking part, 21: door packing, 22: adjustment band

⑩ 日本国特許庁 (JP)

①実用新案出願公開

☞ 公開実用新案公報 (U)

昭56-169873

Mint. Cl.3 D 06 F 37/28 37/10

識別記号

庁内整理番号 6444--4Ⅰ 6444--4Ⅰ ❷公開 昭和56年(1981)12月15日

審查請求 未請求

(全 2 頁)

砂洗濯機の水封装置

②爽

廢 昭55-69113

22出

願 昭55(1980)5月19日 ...

⑫考 案 者 狩谷弘

砂実用新案登録請求の範囲

- ① 外槽の親口部の周縁に環状突出部を形成し、 前記開口部を閉塞するドアに、前記開口部の径 より小さい径の嵌入部を後方に突出して形成し、 前記嵌入部の外属に、前記環状突出部に当接す る環状のドアパツキンを嵌着した洗濯機の水封 装置。
- ② ドアパッキンの外周に、前記ドアパッキンを 外方より圧縮して後方へ膨出する環状の調整パンドを設けた実用新案登録請求の範囲第1項に 記載の洗濯機の水射装置。

守口市京阪本通2丁目18番地三 洋電機株式会社内

⑪出 願 人 三洋電機株式会社

守口市京阪本通2丁目18番地


の代 埋 人 弁理士 藤田龍太郎

図面の簡単な説明

第1図および第2図は一般の洗濯機の切断正面 図および切断側面図、第3図は従来の洗濯機の水 封装置の一部の切断側面図、第4図以下の図面は この考案の洗濯機の水封装置の実施例を示し、第 4図は1実施例の繋部の切断側面図、第5図は他 の実施例の要部の切断側面図、第6図は調整バン ドの正面図である。

1 5 …外待、1 6 …開口部、1 6 ′ …環状突出 部、1 9 …ドア、2 9 …嵌入部、2 1 …ドアパツ キン、2 2 …調整パンド。

第1図



第2図

